YİVLİ KAPLİN & FİTTİNGS FİYAT LİSTESİ

GROOVED COUPLINGS & FITTINGS PRICE LIST

SABİT YİVLİ KAPLİN
Rigid Coupling

KESİCİ KOD ITEM NO	ÖLÇÜ SIZE	AÇIKLAMA / DESCRIPTIONS OF GOODS	KOLİ İÇİ ADEDİ PCS PER CARTON	KG UNIT WEIGHT (Kg)	LİSTE FİYAT / ADET UNIT PRICE PSC/USD ($)
K-Z1G34	1"(34mm)	Sabit Yivli Kaplin - Rigid Coupling	50	0,52	5,99
K-Z1G42	1 1/4"(42mm)	Sabit Yivli Kaplin - Rigid Coupling	45	0,61	6,06
K-Z1G48	1 1/2"(48mm)	Sabit Yivli Kaplin - Rigid Coupling	40	0,64	6,44
K-Z1G60	2" (60mm)	Sabit Yivli Kaplin - Rigid Coupling	35	0,72	7,12
K-Z1G76	2 1/2" (76mm)	Sabit Yivli Kaplin - Rigid Coupling	28	0,84	7,89
K-Z1G89	3" (89mm)	Sabit Yivli Kaplin - Rigid Coupling	20	1,25	9,43
K-Z1G114	4" (114mm)	Sabit Yivli Kaplin - Rigid Coupling	12	1,88	12,49
K-Z1G140	5" (140mm)	Sabit Yivli Kaplin - Rigid Coupling	8	2,54	17,80
K-Z1G165	6" (165mm)	Sabit Yivli Kaplin - Rigid Coupling	6	2,71	22,02
K-Z1G219	8" (219mm)	Sabit Yivli Kaplin - Rigid Coupling	3	5,73	38,67
K-Z1G273	10" (273mm)	Sabit Yivli Kaplin - Rigid Coupling	27	9,20	74,91
K-Z1G324	12" (324mm)	Sabit Yivli Kaplin - Rigid Coupling	22	9,77	112,14
K-Z1G377	14" (377mm)	Sabit Yivli Kaplin - Rigid Coupling			Fiyat Sorunuz
K-Z1G426	16" (426mm)	Sabit Yivli Kaplin - Rigid Coupling			Fiyat Sorunuz
K-Z1G530	20" (530mm)	Sabit Yivli Kaplin - Rigid Coupling			Fiyat Sorunuz

ESNEK YİVLİ KAPLİN
Flexible Coupling

KESİCİ KOD ITEM NO	ÖLÇÜ SIZE	AÇIKLAMA / DESCRIPTIONS OF GOODS	KOLİ İÇİ ADEDİ PCS PER CARTON	KG UNIT WEIGHT (Kg)	LİSTE FİYAT / ADET UNIT PRICE PSC/USD ($)
K-Z1N34	1"(34mm)	Esnek Yivli Kaplin - Flexible Coupling	50	0,45	5,99
K-Z1N42	1 1/4"(42mm)	Esnek Yivli Kaplin - Flexible Coupling	45	0,56	6,06
K-Z1N48	1 1/2"(48mm)	Esnek Yivli Kaplin - Flexible Coupling	40	0,60	6,44
K-Z1N60	2" (60mm)	Esnek Yivli Kaplin - Flexible Coupling	35	0,65	7,87
K-Z1N76	2 1/2" (76mm)	Esnek Yivli Kaplin - Flexible Coupling	28	0,86	9,08
K-Z1N89	3" (89mm)	Esnek Yivli Kaplin - Flexible Coupling	20	1,21	11,12
K-Z1N114	4" (114mm)	Esnek Yivli Kaplin - Flexible Coupling	12	1,75	14,01
K-Z1N140	5" (140mm)	Esnek Yivli Kaplin - Flexible Coupling	8	2,52	23,18
K-Z1N165	6" (165mm)	Esnek Yivli Kaplin - Flexible Coupling	6	2,65	24,63
K-Z1N219	8" (219mm)	Esnek Yivli Kaplin - Flexible Coupling	3	5,44	47,01
K-Z1N273	10" (273mm)	Esnek Yivli Kaplin - Flexible Coupling	27	10,81	101,72
K-Z1N324	12" (324mm)	Esnek Yivli Kaplin - Flexible Coupling	22	9,50	111,54
K-Z1N377	14" (377mm)	Esnek Yivli Kaplin - Flexible Coupling	45	13,28	Fiyat Sorunuz
K-Z1N426	16" (426mm)	Esnek Yivli Kaplin - Flexible Coupling	45	15,00	Fiyat Sorunuz

REDÜKSİYON KAPLİN
Reducing Coupling

KESİCİ KOD ITEM NO	ÖLÇÜ SIZE	AÇIKLAMA / DESCRIPTIONS OF GOODS	KOLİ İÇİ ADEDİ PCS PER CARTON	KG UNIT WEIGHT (Kg)	LİSTE FİYAT / ADET UNIT PRICE PSC/USD ($)
K-Z1NR6048	2"x1 1/2" (60x48mm)	Redüksiyon Kaplin - Reducing Coupling	35	0,81	10,47
K-Z1NR7634	2 1/2"x1" (76x34mm)	Redüksiyon Kaplin - Reducing Coupling	28	0,96	10,47
K-Z1NR7648	2 1/2"x 1 1/2" (76x48mm)	Redüksiyon Kaplin - Reducing Coupling	28	1,62	11,96
K-Z1NR7660	2 1/2"x 2" (76x60mm)	Redüksiyon Kaplin - Reducing Coupling	28	1,62	11,96
K-Z1NR8934	3"x1" (89x34mm)	Redüksiyon Kaplin - Reducing Coupling	20	1,53	16,54
K-Z1NR8960	3"x2" (89x60mm)	Redüksiyon Kaplin - Reducing Coupling	20	1,53	16,54
K-Z1NR8976	3"x2 1/2" (89x76mm)	Redüksiyon Kaplin - Reducing Coupling	20	1,53	16,54
K-Z1NR11434	4"x1" (114x134mm)	Redüksiyon Kaplin - Reducing Coupling	12	2,15	19,93
K-Z1NR11460	4"x2" (114x60mm)	Redüksiyon Kaplin - Reducing Coupling	12	2,15	19,93
K-Z1NR11476	4"x2 1/2" (114x89mm)	Redüksiyon Kaplin - Reducing Coupling	12	2,15	19,93
K-Z1NR11489	4"x3" (114x89mm)	Redüksiyon Kaplin - Reducing Coupling	12	2,15	19,93
K-Z1NR16589	6"x3" (165x89mm)	Redüksiyon Kaplin - Reducing Coupling	6	3,96	52,37
K-Z1NR165114	6"x4" (165x114mm)	Redüksiyon Kaplin - Reducing Coupling	6	3,77	52,37
K-Z1NR219165	8"x6" (219x165mm)	Redüksiyon Kaplin - Reducing Coupling	4	6,22	76,63

*İskonto Sorunuz / *Please ask for the discount rate

Persembe Pazarı Cd. Mahkeme Sk. No: 4/A 34420 Karaköy-İSTANBUL-TÜRKİYE
Tel.: +90 212 238 61 57 - 256 72 13 Fax: +90 212 238 76 92
www.kesici.com | www.kesiciyangin.com | Email kesici@kesici.com

YİVLİ KAPLİN & FİTTİNGS FİYAT LİSTESİ

GROOVED COUPLINGS & FITTINGS PRICE LIST

45° DİRSEK
45° Elbow

KESİCİ KOD ITEM NO	ÖLÇÜ SIZE	AÇIKLAMA / DESCRIPTIONS OF GOODS	KOLİ İÇİ ADEDİ PCS PER CARTON	KG UNIT WEIGHT (Kg)	LİSTE FİYAT / ADET UNIT PRICE PSC/USD ($)
K-Z12034	1" (34mm)	45° Dirsek - 45° Elbow	100	0,20	**3,30**
K-Z12042	1 1/4" (42mm)	45° Dirsek - 45° Elbow	90	0,30	3,94
K-Z12048	1 1/2" (48mm)	45° Dirsek - 45° Elbow	60	0,35	**4,97**
K-Z12060	2" (60mm)	45° Dirsek - 45° Elbow	36	0,48	**5,47**
K-Z12076	2 1/2" (76mm)	45° Dirsek - 45° Elbow	24	0,82	**7,86**
K-Z12089	3" (89mm)	45° Dirsek - 45° Elbow	12	1,14	**11,22**
K-Z120114	4" (114mm)	45° Dirsek - 45° Elbow	8	1,89	**19,24**
K-Z120140	5" (140mm)	45° Dirsek - 45° Elbow	2	2,90	**28,46**
K-Z120165	6" (165mm)	45° Dirsek - 45° Elbow	2	3,89	**38,62**
K-Z120219	8" (219mm)	45° Dirsek - 45° Elbow	1	6,82	**75,08**
K-Z120273	10" (273mm)	45° Dirsek - 45° Elbow	12	14,76	**220,80**
K-Z120324	12" (324mm)	45° Dirsek - 45° Elbow	4	21,67	**320,10**
K-Z120377	14" (377mm)	45° Dirsek - 45° Elbow	4	25,30	Fiyat Sorunuz

90° DİRSEK
90° Elbow

KESİCİ KOD ITEM NO	ÖLÇÜ SIZE	AÇIKLAMA / DESCRIPTIONS OF GOODS	KOLİ İÇİ ADEDİ PCS PER CARTON	KG UNIT WEIGHT (Kg)	LİSTE FİYAT / ADET UNIT PRICE PSC/USD ($)
K-Z9034	1" (34mm)	90° Dirsek - 90° Elbow	90	0,24	**2,96**
K-Z9042	1 1/4" (42mm)	90° Dirsek - 90° Elbow	60	0,41	**4,34**
K-Z9048	1 1/2" (48mm)	90° Dirsek - 90° Elbow	50	0,48	**4,78**
K-Z9060	2" (60mm)	90° Dirsek - 90° Elbow	28	0,65	**6,82**
K-Z9076	2 1/2" (76mm)	90° Dirsek - 90° Elbow	14	1,15	**10,20**
K-Z9089	3" (89mm)	90° Dirsek - 90° Elbow	9	1,61	**12,60**
K-Z90114	4" (114mm)	90° Dirsek - 90° Elbow	4	2,66	**18,09**
K-Z90140	5" (140mm)	90° Dirsek - 90° Elbow	2	4,09	**32,32**
K-Z90165	6" (165mm)	90° Dirsek - 90° Elbow	2	5,99	**38,70**
K-Z90219	8" (219mm)	90° Dirsek - 90° Elbow	15	11,12	**89,70**
K-Z90273	10" (273mm)	90° Dirsek - 90° Elbow	8	24,58	**197,97**
K-Z90324	12" (324mm)	90° Dirsek - 90° Elbow	4	35,52	**279,92**
K-Z90377	14" (377mm)	90° Dirsek - 90° Elbow	4	46,82	Fiyat Sorunuz
K-Z90426	16" (377mm)	90° Dirsek - 90° Elbow	2	58,15	Fiyat Sorunuz

YİVLİ STANDART TE
Tee

KESİCİ KOD ITEM NO	ÖLÇÜ SIZE	AÇIKLAMA / DESCRIPTIONS OF GOODS	KOLİ İÇİ ADEDİ PCS PER CARTON	KG UNIT WEIGHT (Kg)	LİSTE FİYAT / ADET UNIT PRICE PSC/USD ($)
K-Z13034	1" (34mm)	Yivli Standart Te - Tee	60	0,36	**3,81**
K-Z13042	1 1/4" (42mm)	Yivli Standart Te - Tee	40	0,63	**6,39**
K-Z13048	1 1/2" (48mm)	Yivli Standart Te - Tee	35	0,72	**7,33**
K-Z13060	2" (60mm)	Yivli Standart Te - Tee	18	0,99	**10,09**
K-Z13076	2 1/2" (76mm)	Yivli Standart Te - Tee	9	1,73	**13,71**
K-Z13089	3" (89mm)	Yivli Standart Te - Tee	5	2,41	**17,85**
K-Z130114	4" (114mm)	Yivli Standart Te - Tee	2	4,01	**26,25**
K-Z130140	5" (140mm)	Yivli Standart Te - Tee	1	5,97	**46,13**
K-Z130165	6" (165mm)	Yivli Standart Te - Tee	1	7,81	**60,80**
K-Z130219	8" (219mm)	Yivli Standart Te - Tee	12	15,54	**120,93**
K-Z130273	10" (273mm)	Yivli Standart Te - Tee	8	34,09	**290,22**
K-Z130324	12" (324mm)	Yivli Standart Te - Tee	4	47,37	**422,97**
K-Z130377	14" (377mm)	Yivli Standart Te - Tee	2	67,65	Fiyat Sorunuz

*İskonto Sorunuz / *Please ask for the discount rate

Persembe Pazarı Cd. Mahkeme Sk. No: 4/A 34420 Karaköy-İSTANBUL-TÜRKİYE
Tel.: +90 212 238 61 57 - 256 72 13 Fax: +90 212 238 76 92
www.kesici.com | www.kesiciyangin.com | Email kesici@kesici.com

YİVLİ KAPLİN & FİTTİNGS FİYAT LİSTESİ

GROOVED COUPLINGS & FITTINGS PRICE LIST

YİVLİ REDÜKSİYON TE
Reducing Tee

KESİCİ KOD ITEM NO	ÖLÇÜ SIZE	AÇIKLAMA / DESCRIPTIONS OF GOODS	KOLİ İÇİ ADEDİ PCS PER CARTON	KG UNIT WEIGHT (Kg)	LİSTE FİYAT / ADET UNIT PRICE PSC/USD ($)
K-Z130R8949	2"x1"x 2"(60x34x60mm)	Yivli Redüksiyon Te - Reducing Tee	18	0,76	11,96
K-Z130R6048	2"x1 1/2" (60x48mm)	Yivli Redüksiyon Te - Reducing Tee	18	0,79	11,96
K-Z130R7642	1/2"x1 1/4" (76x42mm)	Yivli Redüksiyon Te - Reducing Tee	9	1,35	15,80
K-Z130R7648	2 1/2"x1 1/2"(76x48mm)	Yivli Redüksiyon Te - Reducing Tee	9	1,33	15,80
K-Z130R7660	2 1/2"x2" (76x60mm)	Yivli Redüksiyon Te - Reducing Tee	9	1,36	15,80
K-Z130R8934	3"x1" (86x34mm)	Yivli Redüksiyon Te - Reducing Tee	6	2,39	19,96
K-Z130R8942	3"x1 1/4" (89x42mm)	Yivli Redüksiyon Te - Reducing Tee	6	1,66	19,96
K-Z130R8948	3"x1 1/2" (89x48mm)	Yivli Redüksiyon Te - Reducing Tee	6	1,65	19,96
K-Z130R8960	3"x2" (89x60mm)	Yivli Redüksiyon Te - Reducing Tee	6	1,68	19,96
K-Z130R8976	3"x2 1/2" (89x76mm)	Yivli Redüksiyon Te - Reducing Tee	6	1,85	19,96
K-Z130R11434	4"x1" (114x34mm)	Yivli Redüksiyon Te - Reducing Tee	3	2,64	29,25
K-Z130R11448	4"x1 1/2" (114x48mm)	Yivli Redüksiyon Te - Reducing Tee	3	2,67	29,25
K-Z130R11460	4"x2" (114x60mm)	Yivli Redüksiyon Te - Reducing Tee	3	2,68	29,25
K-Z130R11476	4"x2 1/2" (114x76mm)	Yivli Redüksiyon Te - Reducing Tee	3	2,85	29,25
K-Z130R11489	4"x3" (114x89mm)	Yivli Redüksiyon Te - Reducing Tee	3	2,86	29,25
K-Z130R14048	5"x1 1/2" (140x48mm)	Yivli Redüksiyon Te - Reducing Tee	2	6,17	52,25
K-Z130R14060	5"x2" (140x60mm)	Yivli Redüksiyon Te - Reducing Tee	2	6,19	52,25
K-Z130R14076	5"x2 1/2" (140x76mm)	Yivli Redüksiyon Te - Reducing Tee	2	6,71	52,25
K-Z130R14089	5"x3" (140x89mm)	Yivli Redüksiyon Te - Reducing Tee	2	4,76	52,25
K-Z130R140114	5"x4" (140x114mm)	Yivli Redüksiyon Te - Reducing Tee	2	4,88	52,25
K-Z130R16560	6"x2" (165x60mm)	Yivli Redüksiyon Te - Reducing Tee	1	6,29	72,75
K-Z130R16576	6"x2 1/2" (165x76mm)	Yivli Redüksiyon Te - Reducing Tee	1	6,45	72,75
K-Z130R16589	6"x3" (165x89mm)	Yivli Redüksiyon Te - Reducing Tee	1	6,48	72,75
K-Z130R165114	6"x4" (165x114mm)	Yivli Redüksiyon Te - Reducing Tee	1	6,56	72,75
K-Z130R165140	6"X5" (165140mm)	Yivli Redüksiyon Te - Reducing Tee	1	6,88	72,75
K-Z130R21960	8"x2" (219x60mm)	Yivli Redüksiyon Te - Reducing Tee	12	12,05	129,30
K-Z130R21976	8"x2 1/2" (219x76mm)	Yivli Redüksiyon Te - Reducing Tee	12	12,21	129,30
K-Z130R21989	8"x3" (219x89mm)	Yivli Redüksiyon Te - Reducing Tee	12	12,22	129,30
K-Z130R219114	8"x4" (219x114mm)	Yivli Redüksiyon Te - Reducing Tee	12	12,55	129,30
K-Z130R219140	8"x5" (219x140mm)	Yivli Redüksiyon Te - Reducing Tee	12	12,54	129,30
K-Z130R219165	8"x6" (219x165mm)	Yivli Redüksiyon Te - Reducing Tee	12	12,42	129,30
K-Z130R273165	10"x6" (273x165mm)	Yivli Redüksiyon Te - Reducing Tee	8	27,44	315,20
K-Z130R273219	10"x8" (273x219mm)	Yivli Redüksiyon Te - Reducing Tee	8	27,91	315,20
K-Z130R324165	12"x6" (324x165mm)	Yivli Redüksiyon Te - Reducing Tee	4	42,32	315,20
K-Z130R324219	12"x8" (324x219mm)	Yivli Redüksiyon Te - Reducing Tee	4	43,20	315,20
K-Z130R324273	12"x10" (324x273mm)	Yivli Redüksiyon Te - Reducing Tee	4	47,30	315,20

Persembe Pazarı Cd. Mahkeme Sk. No: 4/A 34420 Karaköy-İSTANBUL-TÜRKİYE
Tel.: +90 212 238 61 57 - 256 72 13 Fax: +90 212 238 76 92
www.kesici.com | www.kesiciyangin.com | Email kesici@kesici.com

YİVLİ KAPLİN & FİTTİNGS FİYAT LİSTESİ

GROOVED COUPLINGS & FITTINGS PRICE LIST

YİVLİ İSTAVROZ
Cross

KESİCİ KOD ITEM NO	ÖLÇÜ SIZE	AÇIKLAMA / DESCRIPTIONS OF GOODS	KOLİ İÇİ ADEDİ PCS PER CARTON	KG UNIT WEIGHT (Kg)	LİSTE FİYAT / ADET UNIT PRICE PSC/USD ($)
K-Z18042	1 1/4" (42mm)	Yivli İstavroz - Cross	28	0,80	9,82
K-Z18048	1 1/2" (48mm)	Yivli İstavroz - Cross	24	0,91	12,36
K-Z18060	2" (60mm)	Yivli İstavroz - Cross	10	1,09	16,66
K-Z18076	2 1/2" (76mm)	Yivli İstavroz - Cross	6	1,96	22,29
K-Z18089	3" (89mm)	Yivli İstavroz - Cross	3	2,33	28,69
K-Z180114	4" (114mm)	Yivli İstavroz - Cross	2	3,69	46,63
K-Z180140	5" (140mm)	Yivli İstavroz - Cross	24	6,34	73,63
K-Z180165	6" (165mm)	Yivli İstavroz - Cross	12	9,68	101,38
K-Z180219	8" (219mm)	Yivli İstavroz - Cross	8	17,90	178,65
K-Z180273	10" (273mm)	Yivli İstavroz - Cross	4	37,98	318,23
K-Z180324	12" (324mm)	Yivli İstavroz - Cross	2	51,94	454,81

YİVLİ REDÜKSİYON
GROOVED REDUCER

KESİCİ KOD ITEM NO	ÖLÇÜ SIZE	AÇIKLAMA / DESCRIPTIONS OF GOODS	KOLİ İÇİ ADEDİ PCS PER CARTON	KG UNIT WEIGHT (Kg)	LİSTE FİYAT / ADET UNIT PRICE PSC/USD ($)
K-Z2404234	1 1/4" x1" (42x34mm)	Yivli Redüksiyon - Reducing Cross	100	0,20	1,90
K-Z2404834	1 1/2"x1" (48x34mm)	Yivli Redüksiyon - Reducing Cross	100	0,23	2,54
K-Z2404842	1 1/2"x 1 1/4" (48x42mm)	Yivli Redüksiyon - Reducing Cross	100	0,26	2,54
K-Z2406034	2"x1" (60x34mm.)	Yivli Redüksiyon - Reducing Cross	60	0,28	4,25
K-Z2406042	2"x1 1/4" (60x42mm)	Yivli Redüksiyon - Reducing Cross	60	0,31	4,25
K-Z2406048	2"x1 1/2" (60x48mm)	Yivli Redüksiyon - Reducing Cross	60	,0,32,	4,25
K-Z2407634	2 1/2"x1" (76x34mm)	Yivli Redüksiyon - Reducing Cross	50	0,45	6,02
K-Z2407642	2 1/2"x1 1/4" (76x42mm)	Yivli Redüksiyon - Reducing Cross	50	0,47	6,02
K-Z2407648	2 1/2"x1 1/2" (76x48mm)	Yivli Redüksiyon - Reducing Cross	50	0,48	6,02
K-Z2407660	2 1/2"x2" (76x60mm)	Yivli Redüksiyon - Reducing Cross	50	0,49	6,02
K-Z2408934	3"x1" (89x34mm)	Yivli Redüksiyon - Reducing Cross	44	0,49	6,70
K-Z2408942	3"x1 1/4" (89x42mm)	Yivli Redüksiyon - Reducing Cross	44	0,52	6,70
K-Z2408948	3"x1 1/2" (89x48mm)	Yivli Redüksiyon - Reducing Cross	44	0,54	6,70
K-Z2408960	3"x2" (89x60mm)	Yivli Redüksiyon - Reducing Cross	44	0,56	6,70
K-Z2408976	3"x2 1/2" (89x76mm)	Yivli Redüksiyon - Reducing Cross	38	0,72	6,70
K-Z24011442	4"x1 1/4" (114x42mm)	Yivli Redüksiyon - Reducing Cross	25	0,80	9,82
K-Z24011448	4"x1 1/2" (114x48mm)	Yivli Redüksiyon - Reducing Cross	25	0,79	9,82
K-Z24011460	4"x2" (114x60mm)	Yivli Redüksiyon - Reducing Cross	25	0,84	9,82
K-Z24011476	4"x2 1/2" (114x76mm)	Yivli Redüksiyon - Reducing Cross	18	0,95	9,82
K-Z24011489	4"x3" (114x89mm)	Yivli Redüksiyon - Reducing Cross	18	0,93	9,82
K-Z24014060	5"x2" (140x60mm)	Yivli Redüksiyon - Reducing Cross	12	1,27	16,60
K-Z24014089	5"x3" (140x89mm)	Yivli Redüksiyon - Reducing Cross	12	1,53	16,60
K-Z24014114	5"x4" (140x114mm)	Yivli Redüksiyon - Reducing Cross	12	1,53	16,60
K-Z24016560	6"x2" (165x60mm)	Yivli Redüksiyon - Reducing Cross	8	2,05	24,21
K-Z24016576	6"x2 1/2" (165x76mm)	Yivli Redüksiyon - Reducing Cross	8	1,99	24,21
K-Z24016589	6"x3" (165x89mm)	Yivli Redüksiyon - Reducing Cross	8	1,85	24,21
K-Z240165114	6"x4" (165x114mm)	Yivli Redüksiyon - Reducing Cross	8	2,08	24,21
K-Z24021989	8"x3" (219x89mm)	Yivli Redüksiyon - Reducing Cross	4	3,75	42,69
K-Z240219114	8"x4" (219x114mm)	Yivli Redüksiyon - Reducing Cross	4	4,90	42,69
K-Z240219140	8"x5" (219x140mm)	Yivli Redüksiyon - Reducing Cross	4	4,97	42,69
K-Z240219165	8"x6" (219x165mm)	Yivli Redüksiyon - Reducing Cross	4	3,79	42,69
K-Z240273165	10"x6" (273x165mm)	Yivli Redüksiyon - Reducing Cross	28	6,60	115,85
K-Z240273219	10"x8" (273x219mm)	Yivli Redüksiyon - Reducing Cross	28	8,28	115,85
K-Z240324219	12"x8" (324x219mm)	Yivli Redüksiyon - Reducing Cross	18	12,16	175,75
K-Z240324273	12"x10" (324x273mm)	Yivli Redüksiyon - Reducing Cross	18	13,77	175,75

*İskonto Sorunuz / *Please ask for the discount rate

Persembe Pazarı Cd. Mahkeme Sk. No: 4/A 34420 Karaköy-İSTANBUL-TÜRKİYE
Tel.: +90 212 238 61 57 - 256 72 13 Fax: +90 212 238 76 92
www.kesici.com | www.kesiciyangin.com | Email kesici@kesici.com

YİVLİ KAPLİN & FİTTİNGS FİYAT LİSTESİ

GROOVED COUPLINGS & FITTINGS PRICE LIST

KÖR TAPA
Cap

KESİCİ KOD İTEM NO	ÖLÇÜ SIZE	AÇIKLAMA / DESCRIPTIONS OF GOODS	KOLİ İÇİ ADEDİ PCS PER CARTON	KG UNIT WEIGHT (Kg)	LİSTE FİYAT / ADET UNIT PRICE PSC/USD ($)
K-Z30034	1" (34mm)	Kör Tapa - Cap	200	0,09	1,30
K-Z30042	1 1/4" (42mm)	Kör Tapa - Cap	150	0,12	1,60
K-Z30048	1 1/2" (48mm)	Kör Tapa - Cap	100	0,16	1,80
K-Z30060	2" (60mm)	Kör Tapa - Cap	80	0,22	2,75
K-Z30076	2 1/2" (76mm)	Kör Tapa - Cap	60	0,39	4,38
K-Z30089	3" (89mm)	Kör Tapa - Cap	50	0,48	5,36
K-Z300114	4" (114mm)	Kör Tapa - Cap	30	0,78	7,75
K-Z300140	5" (140mm)	Kör Tapa - Cap	20	1,41	12,76
K-Z300165	6" (165mm)	Kör Tapa - Cap	12	1,60	18,05
K-Z300219	8" (219mm)	Kör Tapa - Cap	8	3,71	28,84
K-Z300273	10" (273mm)	Kör Tapa - Cap	70	6,98	51,85
K-Z300324	12" (324mm)	Kör Tapa - Cap	50	15,48	Fiyat Sorunuz

ADAPTÖRLÜ FLANŞ
Grooved Flange

KESİCİ KOD İTEM NO	ÖLÇÜ SIZE	AÇIKLAMA / DESCRIPTIONS OF GOODS	KOLİ İÇİ ADEDİ PCS PER CARTON	KG UNIT WEIGHT (Kg)	LİSTE FİYAT / ADET UNIT PRICE PSC/USD ($)
K-Z321G34	1"(34mm)	Adaptörlü Flanş - Grooved Flange	24	0,85	12,11
K-Z321G42	1 1/4"(42mm)	Adaptörlü Flanş - Grooved Flange	10	1,16	12,11
K-Z321G48	1 1/2"(48mm)	Adaptörlü Flanş - Grooved Flange	16	1,29	13,29
K-Z321G60	2" (60mm)	Adaptörlü Flanş - Grooved Flange	12	1,69	14,15
K-Z321G76	2 1/2" (76mm)	Adaptörlü Flanş - Grooved Flange	6	2,01	24,64
K-Z321G89	3" (89mm)	Adaptörlü Flanş - Grooved Flange	6	2,10	27,14
K-Z321G114	4" (114mm)	Adaptörlü Flanş - Grooved Flange	4	2,41	29,44
K-Z321G140	5" (140mm)	Adaptörlü Flanş - Grooved Flange	3	3,23	40,52
K-Z321G165	6" (165mm)	Adaptörlü Flanş - Grooved Flange	48	3,74	42,44
K-Z321G219	8" (219mm)	Adaptörlü Flanş - Grooved Flange	30	6,36	70,14
K-Z321G273	10" (273mm)	Adaptörlü Flanş - Grooved Flange	21	9,74	140,15
K-Z321G324	12" (324mm)	Adaptörlü Flanş - Grooved Flange	12	12,84	220,45
K-Z321G377	14" (377mm)	Adaptörlü Flanş - Grooved Flange	10	21,64	Fiyat Sorunuz
K-Z321G426	16" (426mm)	Adaptörlü Flanş - Grooved Flange	6	29,30	Fiyat Sorunuz

SPRINKLER (UBOLT) TE
U-Bolt Mechanical Tee

KESİCİ KOD İTEM NO	ÖLÇÜ SIZE	AÇIKLAMA / DESCRIPTIONS OF GOODS	KOLİ İÇİ ADEDİ PCS PER CARTON	KG UNIT WEIGHT (Kg)	LİSTE FİYAT / ADET UNİT PRICE PSC/USD ($)
K-Z3L4221	1 1/4"x1/2" (42x21mm)	Sprinkler (U Bolt) Te - U-Bolt Mechanical Tee	50	0,40	5,17
K-Z3L4227	1 1/4"x3/4" (42x27mm)	Sprinkler (U Bolt) Te - U-Bolt Mechanical Tee	50	0,44	5,17
K-Z3L4234	1 1/4"x1" (43x34mm)	Sprinkler (U Bolt) Te - U-Bolt Mechanical Tee	50	0,48	5,17
K-Z3L4821	1 1/2"x1/2" (48x21mm)	Sprinkler (U Bolt) Te - U-Bolt Mechanical Tee	50	0,39	5,17
K-Z3L4827	1 1/2"x3/4" (48x27mm)	Sprinkler (U Bolt) Te - U-Bolt Mechanical Tee	50	0,42	5,17
K-Z3L4834	1 1/2"x1" (48x34mm)	Sprinkler (U Bolt) Te - U-Bolt Mechanical Tee	50	0,47	5,17
K-Z3L6021	2"x1/2" (60x21mm)	Sprinkler (U Bolt) Te - U-Bolt Mechanical Tee	45	0,40	6,16
K-Z3L6027	2"x3/4" (60x27mm)	Sprinkler (U Bolt) Te - U-Bolt Mechanical Tee	45	0,43	6,16
K-Z3L6034	2"x1" (60x34mm)	Sprinkler (U Bolt) Te - U-Bolt Mechanical Tee	45	0,48	6,16
K-Z3L6042	2"x1 1/4" (60x42mm)	Sprinkler (U Bolt) Te - U-Bolt Mechanical Tee	28	0,76	6,16
K-Z3L7621	2 1/2"x1/2" (76x21mm)	Sprinkler (U Bolt) Te - U-Bolt Mechanical Tee	40	0,43	7,61
K-Z3L7627	2 1/2"x3/4" (76x27mm)	Sprinkler (U Bolt) Te - U-Bolt Mechanical Tee	40	0,46	7,61
K-Z3L7634	2 1/2"x1" (76x34mm)	Sprinkler (U Bolt) Te - U-Bolt Mechanical Tee	40	0,50	7,61
K-Z3L8934	3"x1" (89x34mm)	Sprinkler (U Bolt) Te - U-Bolt Mechanical Tee	24	0,81	11,63
K-Z3L11434	4"x1" (114x34mm)	Sprinkler (U Bolt) Te - U-Bolt Mechanical Tee	14	1,15	14,82
K-Z3L11442	4"x1 1/4" (114x42mm)	Sprinkler (U Bolt) Te - U-Bolt Mechanical Tee	14	1,25	14,82
K-Z3L11448	4"x1 1/2" (114x48mm)	Sprinkler (U Bolt) Te - U-Bolt Mechanical Tee	14	1,30	14,82

*İskonto Sorunuz / *Please ask for the discount rate

Persembe Pazarı Cd. Mahkeme Sk. No: 4/A 34420 Karaköy-İSTANBUL-TÜRKİYE
Tel.: +90 212 238 61 57 - 256 72 13 Fax: +90 212 238 76 92
www.kesici.com | www.kesiciyangin.com | Email kesici@kesici.com

YİVLİ KAPLİN & FİTTİNGS FİYAT LİSTESİ

GROOVED COUPLINGS & FITTINGS PRICE LIST

YİVLİ MEKANİK TE
Mechanical Tee Grooved Outlet

KESİCİ KOD ITEM NO	ÖLÇÜ SIZE	AÇIKLAMA / DESCRIPTIONS OF GOODS	KOLİ İÇİ ADEDİ PCS PER CARTON	KG UNIT WEIGHT (Kg)	LİSTE FİYAT / ADET UNIT PRICE PSC/USD ($)
K-Z3GS6042	2"x1 1/4" (60x42mm)	Yivli Mekanik Te - Mechanical Tee Grooved Outlet	28	0,72	8,63
K-Z3GS6048	2"x1 1/2" (60x48mm)	Yivli Mekanik Te - Mechanical Tee Grooved Outlet	28	0,77	8,63
K-Z3GS7634	2 1/2"x1" (76x34mm)	Yivli Mekanik Te - Mechanical Tee Grooved Outlet	22	1,02	11,79
K-Z3GS7642	2 1/2"1 1/4" (76x42mm)	Yivli Mekanik Te - Mechanical Tee Grooved Outlet	22	1,10	11,79
K-Z3GS7648	2 1/2"x1 1/2" (76x48mm)	Yivli Mekanik Te - Mechanical Tee Grooved Outlet	22	1,13	11,79
K-Z3GS8934	3"x1" (89x34mm)	Yivli Mekanik Te - Mechanical Tee Grooved Outlet	14	1,04	15,29
K-Z3GS8942	3"x1 1/4" (89x42mm)	Yivli Mekanik Te - Mechanical Tee Grooved Outlet	14	1,13	15,29
K-Z3GS8948	3"x1 1/2" (89x48mm)	Yivli Mekanik Te - Mechanical Tee Grooved Outlet	14	1,16	15,29
K-Z3GS8960	3"x2" (89x60mm)	Yivli Mekanik Te - Mechanical Tee Grooved Outlet	14	1,25	15,29
K-Z3GS11434	4"x1" (114x34mm)	Yivli Mekanik Te - Mechanical Tee Grooved Outlet	12	1,22	19,33
K-Z3GS11442	4"x1 1/4" (114x42mm)	Yivli Mekanik Te - Mechanical Tee Grooved Outlet	12	1,68	19,33
K-Z3GS11448	4"x1 1/2" (114x48mm)	Yivli Mekanik Te - Mechanical Tee Grooved Outlet	12	1,34	19,33
K-Z3GS11460	4"x2" (114x60mm)	Yivli Mekanik Te - Mechanical Tee Grooved Outlet	10	1,43	19,33
K-Z3GS11476	4"x30D (114x76mm)	Yivli Mekanik Te - Mechanical Tee Grooved Outlet	9	1,54	19,33
K-Z3GS11489	4"x3" (114x89mm)	Yivli Mekanik Te - Mechanical Tee Grooved Outlet	8	1,77	19,33
K-Z3GS14048	5"x1 1/2" (140x48mm)	Yivli Mekanik Te - Mechanical Tee Grooved Outlet	10	1,95	25,35
K-Z3GS14060	5"X2" (140X60mm)	Yivli Mekanik Te - Mechanical Tee Grooved Outlet	8	2,06	25,35
K-Z3GS14076	5"x2 1/2" (140x76mm)	Yivli Mekanik Te - Mechanical Tee Grooved Outlet	6	2,15	25,35
K-Z3GS14089	5"x3" (140x89mm)	Yivli Mekanik Te - Mechanical Tee Grooved Outlet	5	2,37	25,35
K-Z3GS140114	5"x4" (140x114mm)	Yivli Mekanik Te - Mechanical Tee Grooved Outlet	45	2,87	25,35
K-Z3GS16542	6"x1 1/4" (165x42mm)	Yivli Mekanik Te - Mechanical Tee Grooved Outlet	6	2,28	28,79
K-Z3GS16560	6"x2" (165x60mm)	Yivli Mekanik Te - Mechanical Tee Grooved Outlet	5	2,40	28,79
K-Z3GS16576	6"x2 1/2" (165x76mm)	Yivli Mekanik Te - Mechanical Tee Grooved Outlet	5	2,49	28,79
K-Z3GS16589	6"x3" (165x89mm)	Yivli Mekanik Te - Mechanical Tee Grooved Outlet	4	2,70	28,79
K-Z3GS165114	6"x4" (165x114mm)	Yivli Mekanik Te - Mechanical Tee Grooved Outlet	3	3,13	28,79
K-Z3GS21960	8"x2" (219x60mm)	Yivli Mekanik Te - Mechanical Tee Grooved Outlet	3	3,73	50,99
K-Z3GS21976	8"x2 1/2" (219x76mm)	Yivli Mekanik Te - Mechanical Tee Grooved Outlet	2	3,74	50,99
K-Z3GS21989	8"x3" (219x89mm)	Yivli Mekanik Te - Mechanical Tee Grooved Outlet	2	3,96	50,99
K-Z3GS219114	8"x4" (219x114mm)	Yivli Mekanik Te - Mechanical Tee Grooved Outlet	2	4,61	50,99

YİVLİ FLANŞ
Grooved Flange

KESİCİ KOD ITEM NO	ÖLÇÜ SIZE	AÇIKLAMA / DESCRIPTIONS OF GOODS	KOLİ İÇİ ADEDİ PCS PER CARTON	KG UNIT WEIGHT (Kg)	LİSTE FİYAT / ADET UNIT PRICE PSC/USD ($)
K-Z32148	1 1/2" (48mm)	Yivli Flanş - Grooved Flange	15	1,35	12,00
K-Z32160	2" (60mm)	Yivli Flanş - Grooved Flange	12	2,07	15,72
K-Z32176	2 1/2" (76mm)	Yivli Flanş - Grooved Flange	10	2,32	20,30
K-Z32189	3" (89mm)	Yivli Flanş - Grooved Flange	10	2,78	24,52
K-Z321114	4" (114mm)	Yivli Flanş - Grooved Flange	8	3,53	37,15
K-Z321140	5" (140mm)	Yivli Flanş - Grooved Flange	6	3,98	42,80
K-Z321165	6" (165mm)	Yivli Flanş - Grooved Flange	120	4,09	50,10
K-Z321219	8" (219mm)	Yivli Flanş - Grooved Flange	80	8,10	95,80
K-Z321273	10" (273mm)	Yivli Flanş - Grooved Flange	40	10,68	Fiyat Sorunuz
K-Z321324	12" (324mm)	Yivli Flanş - Grooved Flange	40	9,52	199,99

*İskonto Sorunuz / *Please ask for the discount rate

Persembe Pazarı Cd. Mahkeme Sk. No: 4/A 34420 Karaköy-İSTANBUL-TÜRKİYE
Tel.: +90 212 238 61 57 - 256 72 13 Fax: +90 212 238 76 92
www.kesici.com | www.kesiciyangin.com | Email kesici@kesici.com

YİVLİ KAPLİN & FİTTİNGS FİYAT LİSTESİ

GROOVED COUPLINGS & FITTINGS PRICE LIST

DİŞLİ MEKANİK TE
Mechanical Tee Female Threaded Outlet

KESİCİ KOD ITEM NO	ÖLÇÜ SIZE	AÇIKLAMA / DESCRIPTIONS OF GOODS	KOLİ İÇİ ADEDİ PCS PER CARTON	KG UNIT WEIGHT (Kg)	LİSTE FİYAT / ADET UNİT PRICE PSC/USD ($)
K-Z3JS4221	1 1/4"x1/2" (42x21mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	50	0,36	8,05
K-Z3JS4227	1 1/4"x3/4" (42x27mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	50	0,40	8,05
K-Z3JS4234	1 1/4"x1" (42x34mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	50	0,49	8,05
K-Z3JS4821	1 1/2"x1/2" (48x21mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	32	0,38	8,05
K-Z3JS4834	1 1/2"x1" (48x34mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	32	0,52	8,05
K-Z3JS6021	2"x1/2" (60x21mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	32	0,69	9,38
K-Z3JS6027	2"x3/4" (60x27mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	32	0,66	9,38
K-Z3JS6034	2"x1" (60x34mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	28	0,72	9,38
K-Z3JS6042	2"x1 1/4" (60x42mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	28	0,83	9,38
K-Z3JS6048	2"x1 1/2" (60x48mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	28	0,85	9,38
K-Z3JS7621	2 1/2"x1/2" (76x21mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	22	1,09	10,69
K-Z3JS7627	2 1/2"x3/4" (76x27mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	22	1,07	10,69
K-Z3JS7634	2 1/2"x1" (76x34mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	22	1,12	10,69
K-Z3JS7642	2 1/2"x1 1/4" (76x42mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	22	1,20	10,69
K-Z3JS7648	2 1/2"x1 1/2" (76x48mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	22	1,25	10,69
K-Z3JS8921	3"x1/2" (89x21mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	16	1,04	13,31
K-Z3JS8927	3"x3/4" (89x21mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	16	1,02	13,31
K-Z3JS8934	3"x1" (89x34mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	15	1,05	13,31
K-Z3JS8942	3"x1 1/4" (89x42mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	15	1,13	13,31
K-Z3JS8948	3"x1 1/2" (89x48mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	15	1,14	13,31
K-Z3JS8960	3"x2" (89x60mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	14	1,31	13,31
K-Z3JS11421	4"x1/2" (114x21mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	12	1,61	16,69
K-Z3JS11427	4"x3/4" (114x27mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	12	1,58	16,69
K-Z3JS11434	4"x1" (114x34mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	12	1,24	16,69
K-Z3JS11442	4"x1 1/4" (114x42mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	12	1,32	16,69
K-Z3JS11448	4"x1 1/2" (114x48mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	12	1,34	16,69
K-Z3JS11460	4"x2" (114x60mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	10	1,44	16,69
K-Z3JS11476	4"x2 1/2" (114x76mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	9	1,70	16,69
K-Z3JS11489	4"x3" (114X89mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	8	1,96	16,69
K-Z3JS14034	5"x1" (140x34mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	10	1,80	21,39
K-Z3JS14042	5"x1 1/4" (140x42mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	10	1,95	21,39
K-Z3JS14048	5"x1 1/2" (140x48mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	10	1,95	21,39
K-Z3JS14060	5"x2" (140x60mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	8	2,13	21,39
K-Z3JS14076	5"x2 1/2" (140x76mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	6	2,36	21,39
K-Z3JS14089	5"X3" (140x89mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	5	2,63	21,39
K-Z3JS140114	5"X4" (140x114mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	4	3,36	21,39
K-Z3JS16534	6"X1" (165x34mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	8	2,17	25,00
K-Z3JS16548	6"x1/2" (165x48mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	8	2,29	25,00
K-Z3JS16560	6"x2" (165x60mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	7	2,46	25,00
K-Z3JS16576	6"x2 1/2" (165x76mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	4	2,61	25,00
K-Z3JS16589	6"x3" (165x89mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	4	2,90	25,00
K-Z3JS21960	8"x2" (219x60mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	3	3,73	48,76
K-Z3JS21976	8"x2 1/2" (219x76mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	3	3,91	48,76
K-Z3JS21989	8"x3" (219x89mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	2	4,13	48,76
K-Z3JS219114	8"x4" (219x114mm)	Dişli Mekanik Te - Mechanical Tee Female Threaded Outlet	2	4,95	48,76

*İskonto Sorunuz / *Please ask for the discount rate

Persembe Pazarı Cd. Mahkeme Sk. No: 4/A 34420 Karaköy-İSTANBUL-TÜRKİYE
Tel.: +90 212 238 61 57 - 256 72 13 Fax: +90 212 238 76 92
www.kesici.com | www.kesiciyangin.com | Email kesici@kesici.com